

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	7427	(execut\$4 generat\$4 initia\$5 interact\$3 behavior\$3 perform\$4 activivty) with ("only" "if") with (every "all")	US-PGPUB; USPAT	OR	ON	2005/11/21 10:47
L13	365	(execut\$4 generat\$4 initia\$5 interact\$3 behavior\$3 perform\$4 activivty) with ("only" "if") with (every "all") and "709"/\$\$\$	US-PGPUB; USPAT	OR	ON	2005/11/21 10:47
L14	229	(execut\$4 generat\$4 initia\$5 interact\$3 behavior\$3 perform\$4 activivty) with ("only" "if") with (every "all") and "709"/\$\$\$ and regist\$6	US-PGPUB; USPAT	OR	ON	2005/11/21 10:47
L15	28	(execut\$4 generat\$4 initia\$5 interact\$3 behavior\$3 perform\$4 activivty) with ("only" "if") with (every "all") and "709"/\$\$\$ and registry	US-PGPUB; USPAT	OR	ON	2005/11/21 10:49
L16	1	(execut\$4 generat\$4 initia\$5 interact\$3 behavior\$3 perform\$4 activivty) with ("only" "if") with (every each "all") same registry and "709"/\$\$\$	US-PGPUB; USPAT	OR	ON	2005/11/21 10:53
L17	0	(device unit component element terminal node remote local) near5 (network lan ethernet web internet vpn wan) same ("only" "if") with (every each "all") same registry and "709"/\$\$\$	US-PGPUB; USPAT	OR	ON	2005/11/21 10:55
L18	2	(device unit component element terminal node remote local client user subscriber customer) with (network lan ethernet web internet vpn wan) same ("only" "if") with (every each "all") same registry and "709"/\$\$\$	US-PGPUB; USPAT	OR	ON	2005/11/21 10:56
L19	3	(device unit component element terminal node remote local client user subscriber customer) same (network lan ethernet web internet vpn wan) same ("only" "if") with (every each "all") same registry and "709"/\$\$\$	US-PGPUB; USPAT	OR	ON	2005/11/21 10:57
L24	1	("only if" "if only") with (every each "all") and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 10:59
L25	1	("only if" "if only") with (every each "all" total sum together) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:00

L26	1	("only if" "if only") with (every each "all" total sum together syn synchroniz\$5) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:00
L27	1	("only if" "if only") same (every each "all" total sum together syn synchroniz\$5) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:01
L28	1	("only if" "if only") same (enough needed necessary every each "all" total sum together syn synchroniz\$5) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:02
L29	1	("only if" "if only") same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:03
L30	83417	(only if) same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) and (service perform\$4) same (register\$3 registry registration)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:04
L31	4507	(only if) same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) and (service perform\$4) same (register\$3 registry registration) . ab.	US-PGPUB; USPAT	OR	ON	2005/11/21 11:04
L32	149	(only if) same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) same (service perform\$4) same (register\$3 registry registration) . ab.	US-PGPUB; USPAT	OR	ON	2005/11/21 11:05
L33	30	(only if) same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) same (service perform\$4) near5 (register\$3 registry registration) . ab.	US-PGPUB; USPAT	OR	ON	2005/11/21 11:15
L35	156	((only if) same (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3) condition) same (service perform\$4) near5 (register\$3 registry registration) .ab.	US-PGPUB; USPAT	OR	ON	2005/11/21 11:25

L36	32	((only if condition) with (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3)) same (service perform\$4) near5 (register\$3 registry registration) . ab.	US-PGPUB; USPAT	OR	ON	2005/11/21 11:25
L37	24	((only if condition) with (enough needed necessary every each "all" total sum together syn synchroniz\$5 satisf\$3)) same (service perform\$4) near5 (register\$3 registry registration) . ab. and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:31
L38	0	37 and load\$3 with (depend\$3 based associat\$2 arrcord\$4 correspon\$4) with (available)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:28
L39	7	37 and (depend\$3 based associat\$2 arrcord\$4 correspon\$4) with (available)	US-PGPUB; USPAT	OR	ON	2005/11/21 11:28
L40	5754	((only if condition) with available) and (service perform\$4) near5 (register\$3 registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:31
L41	0	(only near3 if) with available and (service perform\$4) near5 (register\$3 registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:32
L42	0	("only" near3 "if") with available and (service perform\$4) near5 (register\$3 registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:32
L43	4915	(only if) with available and (service perform\$4) near5 (register\$3 registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:32
L44	0	(only if) with available same (service perform\$4) near5 (register\$3 registry registration).ab. and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:33
L45	27	"709"/\$\$\$ and (only if) with available same (service perform\$4) near5 (register\$3 registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 11:34

L46	14	"709"/\$\$\$ and (only if) with available same (service perform\$4) near5 (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:00
L47	2	"709"/\$\$\$ and (only if) with available near3 (services) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:02
L48	11	(only if) with available near3 (services) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:05
L49	0	(only if) with available near3 (services) with (all total sum whole together) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:06
L50	1	(determin\$3 only if) with available near5 (services) with (all total sum whole together) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:08
L51	4	(determin\$3 only if) with available near5 (task function services) with (all total sum whole together) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:11
L52	4	(determin\$3 only if) with available near5 (task function services condition load) with (all total sum whole together) same (register\$3 registry registration) same (device unti node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:13

L53	0	(determin\$3 only if) with available near5 (task function services condition load) with (all total sum whole together) same (bind\$3 registry registration) same (device unit node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:14
L54	7	(determin\$3 only if) with available near5 (task function services condition load) with (all total sum whole together) and (bind\$3 registry registration) with (device unit node terminal machine computer component)and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:16
L55	180	(determin\$3 only if) with available near5 (task function services condition load) with (all total sum whole together every) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:17
L56	17	(determin\$3 only if) with available near5 (task function services condition load) with (all total sum whole together every) and (registry registration) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:30
L57	47	(determin\$3 only if whether) with available near5 (all total sum whole together every) and (registry registration) near5 (service node device unit component terminal) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:33
L58	0	(determin\$3 only if whether) with available near5 (all total sum whole together every) same (registry registration) near5 (service node device unit component terminal) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:33
L59	33	(determin\$3 only if whether) with available near5 (all total) and (registry registration) near5 (service node device unit component terminal) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:34

L60	22	(determin\$3 only if whether) with available near5 (all total) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:54
L61	10	(determin\$3 only if whether) with available near (all total) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:54
L62	0	(determin\$3 only if whether) with available with (all total) with (service task) and (registry registration) near5 (service node device unit component terminal) and relationship same (load\$3 download\$3) and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 12:56
L63	2	(determin\$3 only if whether) with available with (all total) with (service task) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 13:04
L64	16	(determin\$3 only if whether) with (need\$2 necessary acquir\$5 requir\$5 available) with (all total) with (service task job thread module agent parameter) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 13:12
L65	19	(determin\$3 only if whether) with (need\$2 necessary acquir\$5 requir\$5 available) near3 (all total) same (service task job thread module agent parameter) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 13:13

L66	2	(determin\$3 only) near (if whether) with (need\$2 necessary acquir\$5 requir\$5 available) near3 (all total) same (service task job thread module agent parameter) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 13:16
L67	3	(determin\$3 only) near (if whether) with (need\$2 necessary acquir\$5 requir\$5 available) near3 (all total) same (service task job attribute character subset subtask thread module agent parameter) and (registry registration) near5 (service node device unit component terminal) and relationship and (@ad<"20000320" @rlad<"20000320")	US-PGPUB; USPAT	OR	ON	2005/11/21 13:16